


WAAS CH 50512 W31A	APP CRS 318°	Rwy Idg 5826 TDZE 613 Apt Elev 620
--	------------------------	---


RNAV (GPS) Z RWY 31C

CHICAGO MIDWAY INTL (MDW)

<div><div></div><div></div></div> <div>For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -19°C (-2° F) or above 54° C (130° F). DME/DME RNP-0.3 NA. Night landing: Rwy 31R NA.</div>			MISSED APPROACH: Climb to 1100 then climbing left turn to 2600 direct EON VORTAC and hold.		
D-ATIS 132.75	CHICAGO APP CON 128.2 353.875	MIDWAY TOWER 135.2 269.125	GND CON 121.65	CLNC DEL 124.625	CPDLC



ELEV 620	D	TDZE 613
-----------------	----------	-----------------



1100 2600 EON		VGSI and RNAV glidepath not coincident (VGSI Angle 3.00/TCH 63).			
*LNAV only.		HILLS			
*1.1 NM to RW31C		GLEAM			
RW31C		HILLS			
1700		GLEAM			
2500		HILLS			
4000		GLEAM			
5000		HILLS			
GP 3.00°		TCH 48			
-1.1 - 2.2 NM - 2.5 NM - 4.7 NM - 3.1 NM					
CATEGORY	A	B	C	D	
LPV DA	863/40		250 (300-¾)		
LNAV/VNAV DA	953/60		340 (400-1¼)		
LNAV MDA	1020/55		407 (400-1)		
CIRCLING	1120-1		500 (500-1)		
			1340-2		1340-2¼
			720 (800-2)		720 (800-2¼)