

WAAS CH <b>72604</b> <b>W09A</b>	APP CRS <b>090°</b>	Rwy Idg <b>5500</b> TDZE <b>673</b> Apt Elev <b>679</b>
--	------------------------	---

RNAV (GPS) RWY 9

LEWIS UNIVERSITY (L.O.T)


V

A

Baro-VNAV NA when using Joliet Rgnl altimeter setting. DME/DME RNP-0.3 NA. VDP NA when using Joliet Rgnl altimeter setting. If local altimeter setting not received, use Joliet Rgnl altimeter setting and increase all DAs 29 feet and all MDAs 40 feet. For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -16°C (4°F) or above 46°C (114°F).

MISSED APPROACH:  
Climb to 2400 direct QAJER and hold.

AWOS-3 <b>118.525</b>	CHICAGO APP CON <b>119.35 354.075</b>	UNICOM <b>122.8 (CTAF) 0</b>
--------------------------	--	---------------------------------



5 NM Holding Pattern				
GATLY				
2500 ← 270° 090° →				
GP 3.00° TCH 41				
HOBLE				
1800				
*1.2 NM to RWY 09				
*RNAV only.				
RWY 09				
6.2 NM 2.2 NM 1.2				
CATEGORY	A	B	C	D
LPV DA	1124-1½		451 (500-1½)	
LNAV/VNAV DA	1153-1¾		480 (500-1¾)	
LNAV MDA	1100-1	427 (500-1)	1100-1¼ 427 (500-1¼)	1100-1½ 427 (500-1½)
CIRCLING	1260-1	581 (600-1)	1260-1½ 581 (600-1½)	1440-2½ 761 (800-2½)

