

WAAS  
CH **56621**  
**W13A**

APP CRS  
**129°**

Rwy Idg  
TDZE  
Apt Elev  
**4691**  
**867**  
**867**

**RNAV (GPS) RWY 13**  
OMAR N BRADLEY (MBY)

▼

NA

Circling to Rwy 5 NA at night. Baro-VNAV NA when using Columbia altimeter setting. For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -16°C (4°F) or above 54°C (130°F). When VGSI inop, procedure NA at night. DME/DME RNP-0.3 NA. Visibility reduction by helicopters NA. When local altimeter setting not received, use Columbia altimeter setting and increase all DA 95 feet and all MDA 100 feet, increase LPV visibility ½ mile all Cats, LNAV/VNAV visibility ¼ mile all Cats, LNAV Cat C visibility ⅓ mile and Circling Cat C visibility ¼ mile.

MISSED APPROACH:

Climb to 3200 direct VETTS and hold.

AWOS-3P <b>120.025</b>	KANSAS CITY CENTER <b>125.25 235.975</b>	UNICOM <b>122.7 (CTAF) 0</b>
---------------------------	---	---------------------------------

4 NM Holding Pattern		DRADE		EFAHA		3200	VETTS
2900		309°		129°		*LNAV only.	
GP 3.00°		TCH 40°		2500		PEBOY 1.7 NM to RW13	
		7.7 NM		3.3 NM		1.7 NM	
CATEGORY		A	B	C	D		
LPV DA		1117-1		250 (300-1)		NA	
LNAV/VNAV DA		1142-1		275 (300-1)		NA	
LNAV MDA		1220-1		353 (400-1)		NA	
CIRCLING		1420-1		553 (600-1)		1480-1¾ 613 (700-1¾)	

MOBERLY, MISSOURI  
Orig-A 28MAY15

39°28'N-92°26'W

OMAR N BRADLEY (MBY)  
**RNAV (GPS) RWY 13**