

WAAS

CH **62918**

W01A

APP CRS

015°

Rwy Idg

5705

TDZE

1985

Apt Elev

1985

RNAV (GPS) RWY 1

SIDNEY-RICHLAND RGNL (SDY)

⚠

For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -20°C (-4°F) or above 54°C (130°F). Circling Rwy 11, 19, and 29 NA at night. DME/DME RNP-0.3 NA.

MISSED APPROACH: Climb to 4600 direct HAKET and hold.

AWOS-3PT 119.275	SALT LAKE CENTER 126.85 305.2	UNICOM 122.8 (CTAF) 0
----------------------------	---	---------------------------------

3000 Δ

Procedure NA for arrivals at EXADE on V465 southwest bound.

(IAF) EXADE Δ 4600 NoPT 104° (10.4)

2304 \pm Δ

2221 \pm Δ

2345 Δ

2191 Δ RW01

JUNEG 2.7 NM to RW01

(FAF) BOSPE

2174 Δ

2537 Δ

3700 015° (5.7)

(IF/IAF) CATUM

015° 195°

5 NM

MISSED APCH FIX

5 NM

015° 195°

HAKET

MSA RW01 25 NM

4300

VGSI and RNAV glidepath not coincident (VGSI Angle 3.00/TCH 33).

5 NM Holding Pattern

CATUM

BOSPE

JUNEG 2.7 NM to RW01

*1.4 NM to RW01

RW01

4600

195°

015°

015°

3700

*2880

GP 3.00° TCH 45

5.7 NM

2.6 NM

1.3 NM

1.4 NM

CATEGORY	A	B	C	D
LPV DA	2238-7/8	253 (300-7/8)		
LNAV/VNAV DA	2419-1 1/2	434 (500-1 1/2)		
LNAV MDA	2460-1	475 (500-1)	2460-1 3/8	475 (500-1 3/8)
CIRCLING	2580-1 595 (600-1)	2660-1 675 (700-1)	2700-2 715 (800-2)	2840-2 3/4 855 (900-2 3/4)

ELEV 1985 **D** TDZE 1985

4600 HAKET

*LNAV only.

1995

4024 X 100

5705 X 100

015° to RW01

REIL Rwy 1, 19, 11, and 29

MIRL Rwy 1-19 and 11-29

SIDNEY, MONTANA

Amtd 2 17AUG17

47°42'N-104°12'W

SIDNEY-RICHLAND RGNL (SDY)

RNAV (GPS) RWY 1