


APP CRS	Rwy Idg	12020
042°	TDZE	3923
	Apt Elev	3962

RNAV (RNP) Z RWY 4

EL PASO INTL (ELP)

RNP AR APCH. RF required.		MISSED APPROACH: Climb to 4400 then climbing right turn to 7500 direct FABAN and hold.
ASR	For uncompensated Baro-VNAV systems, procedure NA below -5°C or above 54°C.	

D-ATIS	EL PASO APP CON	EL PASO TOWER	GND CON	CLNC DEL
120.0 254.3	124.25 298.85	118.3 239.275	121.9 348.6	125.0 379.1



See planview for multiple IF locations.

GEDEY 5900

CURIS 5100

UDECI 4618

RW04 042°

GP 3.00° TCH 55

3.2 NM

1.5 NM

2 NM

CATEGORY

A B C D

RNP 0.20 DA 4282/55 359 (400-1)

RNP 0.30 DA 4352-1 ¼ 429 (400-1 ¼)

AUTHORIZATION REQUIRED

ELEV 3962

TDZE 3923

042° to RW04

12020 X 150

5499 X 75

9025 X 150

0.5% UP

0.3% DOWN

TWR 4105

MIRL Rwy 8L-26R

REIL Rwy 4 and 8R

HIRL Rwy 4-22 and 8R-26L