

SAYBR TWO DEPARTURE (RNAV)

AUSTIN, TEXAS

AL-556 (FAA)


D-ATIS
124.4
CLNC DEL
125.5 263.0
CPDLC
GND CON
121.9 348.6
AUSTIN TOWER
121.0 281.5
AUSTIN DEP CON
127.225 317.65

**TOP ALTITUDE:
ASSIGNED BY ATC**



Rwys 17L/R: Standard.

Rwys 35L/R: Standard with minimum climb of 240' per NM to 2600.



A diagram showing a line of sight from MUNCH 5000 to SAYBR. The line of sight is labeled 024° (27) and the distance is 5000 mb.

NOTE: RADAR required.

NOTE: DME/DME/IRU or GPS required.

NOTE: RNAV-1.

NOTE: For DFW terminal area arrivals at FL230 or below only.

NOTE: Chart not to scale.



DEPARTURE ROUTE DESCRIPTION

TAKEOFF RWYS 17L/R: Climb heading 175° or as assigned by ATC for RADAR vectors to cross MUNCH at or above 5000, thence . . .

TAKEOFF RWYS 35L/R: Climb heading 355° or as assigned by ATC for RADAR vectors to cross **MUNCH** at or above 5000, thence . . .

... on track 024° to SAYBR. Maintain altitude assigned by ATC. Expect filed altitude 10 minutes after departure.

SAYBR TWO DEPARTURE (RNAV)

(SAYBR2.SAYBR) 07DEC17

AUSTIN, TEXAS

AUSTIN-BERGSTROM INTL (AUS)

SC-3, 03 DEC 2020 to 31 DEC 2020