

WAAS  
CH **70316**  
**W17A**

APP CRS  
**175°**

Rwy Idg  
TDZE **25**  
Apt Elev **25**

**7000**

**25**

**25**

**RNAV (GPS) RWY 17**

TEXAS GULF COAST RGNL (L.B.X)

DME/DME RNP-0.3 NA. Baro-VNAV NA below -16°C (4°F). When local altimeter setting not received, use William P. Hobby altimeter setting and increase all DAs/MDAs 100 feet and Circling Cat D visibility ¼ SM. Baro-VNAV and VDP NA when using William P. Hobby altimeter setting. Circling NA east of Rwy 17-35. For inop MALSR, increase LPV visibility to 1 mile all Cats, LNAV Cat D visibility to 1¼ mile.

MALSR

MISSED APPROACH: Climb to 2000 direct ACKLE and hold.

ASOS <b>119.925</b>	HOUSTON APP CON <b>134.45 284.0</b>	CLNC DEL <b>125.2</b>	UNICOM <b>123.0 (CTAF) 0</b>
------------------------	--	--------------------------	---------------------------------

Procedure NA for arrival at KEEDS via V556 westbound.

(IAF) KEEDS 2000 112° (8.9)

(IF) KAVCY 1600 175° (6)

(FAF) PLOIT 139±

RW17 92±

200

ACKLE 175° 355° 4 NM

2017

1078

333

485

216

MSA RW17 25 NM 3100

Procedure Turn NA  
GP 3.00°  
TCH 50

2000

175°

1600

6 NM

3.6 NM

1.1

2000

ACKLE

\*1.1 NM to RW17

RW17

\*LNAV only.

CATEGORY	A	B	C	D
LPV DA		282-1½	257 (300-½)	
LNAV/VNAV DA		360-¾	335 (400-¾)	
LNAV MDA		420-1½	395 (400-½)	420-1 395 (400-1)
CIRCLING	480-1¼ 455 (500-1¼)	500-1¼ 475 (500-¼)	500-1½ 475 (500-1½)	620-2 595 (600-2)

ELEV 25

TDZE 25

175° to RW17

ACKLE

7000 X 100

35

MRL Rwy 17-35 0

ANGLETON/LAKE JACKSON, TEXAS

Amdt 2B 26MAR20

29°07'N-95°28'W

TEXAS GULF COAST RGNL (L.B.X)

**RNAV (GPS) RWY 17**