

WAAS CH 45526 W05A	APP CRS 052°	Rwy Idg TDZE Apt Elev	7001 228 236
--	------------------------	-----------------------------	---

RNAV (GPS) RWY 5

COLUMBIA METROPOLITAN (CAE)

▼

For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -15°C (5°F) or above 48°C (118°F). DME/DME RNP-0.3 NA.
**RVR 1800 authorized with use of FD or AP or HUD to DA.

MALSR

MISSED APPROACH: Climb to 2400 direct POMIE and on track 021° to BEFTY and hold.

ATIS 120.15	COLUMBIA APP CON 133.4 285.6 (290°-109°) 124.15 338.2 (110°-289°)	COLUMBIA TOWER 119.5 257.8	GND CON 121.9 348.6	CLNC DEL 119.75
-----------------------	---	--------------------------------------	-------------------------------	---------------------------

Procedure NA for arrivals at LEDAS on V155 southwest bound, and on V311 northwest bound.

Procedure NA for arrivals at ADCOM on V53 southeast bound.

MSA RW05 25 NM
3100

LEDAS
A 1156
2200 (13.8)

EBPEP (IAF)
EDURE (IF)
OTNOW (FAF)
TIBOC 2.5 NM to RW05
AXEWO (IAF)

2200 052° (6.3)
2200 052° (5)
2200 052° (5)

679
413
525
611
720
749

POMIE 390
400
510±
681
769

746
R-6001 A & B

ADCOM 275° (15.2)

MISSED APCH FIX
4 NM
011°
191°
BEFTY

VGSI and RNAV glidepath not coincident (VGSI Angle 3.00/TCH 73).				
EDURE		OTNOW	2400 POMIE	BEFTY
2200 052°		2200	tr 021°	△
GP 3.00° TCH 60		TIBOC 2.5 NM to RW05	*LNAV only.	
6.3 NM		3.4 NM	1.2 NM	1.3 NM
*1080		*1.3 NM to RW05	RW05	
CATEGORY	A	B	C	D
LPV DA **	428/24 200 (200-½)			
LNAV/VNAV DA	638/50 410 (500-1)			
LNAV MDA	700/24	472 (500-½)	700/40	700/50
			472 (500-¾)	472 (500-1)
CIRCLING	740-1	504 (600-1)	840-1¾	880-2
			604 (700-¾)	644 (700-2)

396

TWR 354

8601 X 150

0.5% UP

0.6% DOWN

8601 X 150

052° to RW05

REIL Rwy 23
TDZ/CL Rwy 11
HIRL Rwy 5-23 and 11-29

COLUMBIA, SOUTH CAROLINA
Amdt 2C 29MAR18

33°56'N-81°07'W

COLUMBIA METROPOLITAN (CAE)
RNAV (GPS) RWY 5