

LOC/DME I-JNX  
**111.15**  
Chan **48** (Y)

APP CRS  
**032°**

Rwy Idg **5500**  
TDZE **147**  
Apt Elev **164**

ILS Y or LOC Y RWY 3

JOHNSTON RGNL (JNX)

GPS required. VDP NA with Erwin altimeter setting. When local altimeter setting not received, use Erwin altimeter setting: increase DA to 447 feet, increase all MDA 60 feet and S-LOC 3 Cat C/D and Circling Cat A visibility ¼ mile, and JONIR fix minimums S-LOC 3 Cat C/D visibility ⅓ mile and Circling Cat C ¼ mile. For inop MALSR, increase S-LOC 3 Cat C/D visibility to 2½ mile and JONIR fix minimums S-LOC 3 Cat C/D to 1¾ mile. For inop MALSR when using Erwin altimeter setting, increase S-ILS all Cats visibility to 1 mile.

MALSR

AS

MISSED APPROACH: Climb to 3400 direct JNALL and hold, continue climb-in-hold to 3400.

AWOS-3  
**120.225**

RALEIGH APP CON  
**125.3 353.675**

GCO  
**135.075**

UNICOM  
**122.725** (CTAF) **0**

MISSED APCH FIX

212°

032°

4 NM

JNALL

736

430

238

613

605

1500

12.3

032°

212°

4 NM

JONIR

I-JNX **3.5**

JHDI

I-JNX **5.3**

RADAR

SEYMOUR JOHNSON ECHO MOA

LOCALIZER **111.15**

I-JNX

Chan **48** (Y)

30 NM to WITIX

3400

122°

WITIX

302°

20 NM to WITIX

3000

122°

WITIX

302°

30 NM to WITIX (NoPT)

4000

GPS REQUIRED

4 NM Holding Pattern

WITIX I-JNX **12.3**

3400 JNALL

3000 ← 212° → 032° → 032°

GS 3.00° TCH 45

1500

\*940°

7 NM → 1.8 NM → 0.5 → 1.8 NM

3400

JNALL

\*LOC only.

CATEGORY	A	B	C	D
S-ILS 3	397-½ 250 (300-½)			
S-LOC 3	940-½ 793 (800-½)	940-¾ 793 (800-¾)	940-1¾ 776 (800-2½)	793 (800-1¾)
CIRCLING	940-1 776 (800-1)	940-1¼ 776 (800-1¼)	940-2½ 776 (800-2½)	1100-3 936 (1000-3)
JONIR FIX MINIMUMS				
S-LOC 3	780-½ 633 (700-½)	780-1⅓ 633 (700-1⅓)		
CIRCLING	780-1 616 (700-1)	920-2¼ 756 (800-2¼)	1100-3 936 (1000-3)	

ELEV **164**

TDZE **147**

21

5500 X 100

0.3% UP

032° 4.1 NM from FAF

MIRL Rwy 3-21 **0**

REIL Rwy 21 **0**

SMITHFIELD, NORTH CAROLINA

Amtd 1A 18AUG16

35°32'N-78°23'W

JOHNSTON RGNL (JNX)

ILS Y or LOC Y RWY 3

SE-2, 03 DEC 2020 to 31 DEC 2020

SE-2, 03 DEC 2020 to 31 DEC 2020