

WAAS CH 77722 W35A	APP CRS 344°	Rwy Idg TDZE Apt Elev	9273 4224 4227
--	------------------------	-----------------------------	---

RNAV (GPS) RWY 35

SALT LAKE CITY INTL (SLC)

DME/DME RNP-0.3 NA. For inop ALS, increase LP Cat E to RVR 5000, increase LNAV Cat E to 1 1/2 SM.

MALSR

MISSED APPROACH: Climb to 9000 direct KNOBY and on track 334° to OGD VORTAC and hold.

D-ATIS	SALT LAKE CITY APP CON	SALT LAKE CITY TOWER	GND CON
124.75 125.625	125.7 284.6	119.05 257.8 118.3 257.8 132.65 336.4 (Rwy 16L-34R) (Rwys 14-32, 17-35) (Rwy 16R-34L)	121.9 348.6 123.775 348.6 (Rwys 14-32, 17-35) (Rwys 16L-34R, 16R-34L)

MISSED APCH FIX

7 NM

130°

310°

OGDEN OGD

9000

KNOBY

tr 334°

OGD

VGSI and descent angles not coincident (VGSI Angle 3.00/TCH 74).

YICYU

2 NM to RW35

0.8 NM to RW35

RW35

3.00° TCH 55

4900

6100

9000

10000

344°

11000

HLMET

CATEGORY	A	B	C	D	E
LP MDA	4560/24	336 (400-1/2)	4560/26	336 (400-1/2)	
LNAV MDA	4760/24	536 (600-1/2)	4760/55	536 (600-1)	

34L

4463 ±

TWR 4552

1200 X 150

1200 X 150

1200 X 150

34R

4254

35

344° to RW35

SALT LAKE CITY, UTAH

40°47'N-111°59'W

SALT LAKE CITY INTL (SLC)

RNAV (GPS) RWY 35

Amtd 3 17AUG17