

LOC/DME I-EPA 110.15 Chan 38(Y)	APP CRS 276°	Rwy Idg TDZE Apt Elev 8500 630 645
---	------------------------	--

ILS RWY 27L (SA CAT I & II)

DETROIT METROPOLITAN WAYNE COUNTY (DTW)

▼

DME or RADAR required. Simultaneous approach authorized.
SA Cat I: Requires specific OPSPEC, MSPEC, or LOA approval and use of HUD to DH.
SA Cat II: Reduced lighting: Requires specific OPSPEC, MSPEC, or LOA approval and use of Autoland or HUD to touchdown.

MALSR

MISSED APPROACH: Climb to 1100 then climbing left turn to 4000 on heading 180° and CRL VOR/DME R-041 to CRL VOR/DME and hold, continue climb-in-hold to 4000.

D-ATIS 133.675	DETROIT APP CON 124.05 284.0	METRO TOWER 128.75 317.725	GND CON 121.8 (NW) 119.45 (NE) 132.725 (SW) 119.25 (SE)	CLNC DEL 120.65	CPDLC
--------------------------	--	--------------------------------------	---	---------------------------	-------

ELEV 645

D

TDZE 630

1100

4000

hdg 180°

CRL R-041

VGSI and ILS glidepath not coincident (VGSI Angle 3.00/TCH 71).

HEYYY I-EPA 21.4 RADAR

DONYA I-EPA 18.3 RADAR

ALWAZ I-EPA 15.1 RADAR

JUSTT I-EPA 12 RADAR

KNOIT I-EPA 8.8 RADAR

NIKNG I-EPA 5.7 RADAR

2000

3000

4000

5000

6000

7000

GS 3.00°

TCH 56

CATEGORY	A	B	C	D
S-ILS 27L	SA CAT I	RA 146/16	150 DA 780	
S-ILS 27L	SA CAT II	RA 96/16	100 DA 730	

SA CATEGORY I & II ILS SPECIAL AIRCREW & AIRCRAFT CERTIFICATION REQUIRED

DETROIT, MICHIGAN

DETROIT METROPOLITAN WAYNE COUNTY (DTW)

Amdt 5A 24MAY18

42°13'N-83°21'W

ILS RWY 27L (SA CAT I & II)