

WAAS
CH **70434**
W33A

APP CRS
334°

Rwy Idg
TDZE
Apt Elev

4200
1379
1379

RNAV (GPS) RWY 33

EL DORADO/CAPTAIN JACK THOMAS MEMORIAL (EQA)

▼

▲ NA

For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -17°C (2°F) or above 54°C (130°F). DME/DME RNP-0.3 NA. When local altimeter setting not received, use Colonel James Jabara altimeter setting and increase all DA 51 feet and all MDA 60 feet. Baro-VNAV and VDP NA when using Colonel James Jabara altimeter setting.

MISSED APPROACH: Climb to 3100 direct GOPHR and hold.

AWOS-3P
120.875

WICHITA APP CON
134.8 269.1

UNICOM
122.8 (CTAF) 0

MISSED APCH FIX

1809 ▲

▲ 1570

1408 ▲

1408 ▲ RW33

WEXOS
1.7 NM to RW33

▲ 1509 ±

(FAF) WAXFY

3000

334°

3100 NoPT (5)

3100 NoPT (5)

244°

(IAF) IFGAK

3100

235° (5.4)

▲ OBDW

2084 ▲

MSA RW33 25 NM

3600

4 NM

154°

334°

(IF/IAF) BSHWD

3100 NoPT (5)

064°

(IAF) ATVEW

3100

070° (21.9)

▲ CAWBU

Procedure NA for arrivals at OBDW on V354 northbound and V350 eastbound.

Procedure NA for arrivals at CAWBU on V73 northwest bound.

ELEV 1379

TDZE 1379

HIRL Rws 4-22 and 15-33 0

3100	GOPHR	VGSI and RNAV glidepath not coincident. (VGSI Angle 3.00/TCH 25)			
* LNAV only.		WEXOS 1.7 NM to RW33	WAXFY	BSHWD	4 NM Holding Pattern
RW33		* 1.1 NM to RW33	3000	334°	154°
		1960*	3000	334°	3100
		1.1	0.6	3.3 NM	5 NM
CATEGORY	A	B	C	D	
LPV DA	1579-1	200 (200-1)	NA	NA	
LNAV/VNAV DA	1629-1	250 (300-1)	NA	NA	
LNAV MDA	1760-1	381 (400-1)	NA	NA	
CIRCLING	1820-1 441 (500-1)	1960-1 581 (600-1)	NA	NA	

EL DORADO, KANSAS

Amdt 1A 02APR15

EL DORADO/CAPTAIN JACK THOMAS MEMORIAL (EQA)

37°46'N-96°49'W

RNAV (GPS) RWY 33