

WAAS

CH **78400**

**W14A**

APP CRS

**137°**

Rwy Idg

**6983**

TDZE

**107**

Apt Elev

**107**

**RNAV (GPS) RWY 14**

MC ALLEN MILLER INTL (MF'E)

⚠

For uncompensated Baro-VNAV systems, LNAV/VNAV NA below 1°C (34°F) or above 54°C (130°F). Circling NA northeast of Rwy 14-32. DME/DME RNP-0.3 NA. When local altimeter setting not received, use Weslaco altimeter setting: increase all DA 39 feet and LNAV/VNAV all Cat visibility ½ mile; increase all MDA 40 feet and LNAV Cat C/D visibility ½ mile. Baro-VNAV and VDP NA when using Weslaco altimeter setting.

MALS

⬆

AS

MISSED APPROACH:

Climb to 1500 then climbing left turn to 3000 direct FLATZ and hold.

ATIS <b>128.5</b>	VALLEY APP CON <b>121.0 377.2</b>	MC ALLEN TOWER ★ <b>118.5 (CTAF) 0 256.9</b>	GND CON <b>121.8</b>	UNICOM <b>122.95</b>
----------------------	--------------------------------------	---	-------------------------	-------------------------

ELEV 107

TDZE 107

1500

3000

FLATZ

EYOVE

1.6 NM to RWY 14

\*1.1 NM to RWY 14

\*660

ECUVE

FOLUL

2000

2000

2000

GP 3.00°

TCH 60

7 NM

4.2 NM

0.5 NM

1.1

CATEGORY	A	B	C	D
LPV DA	307-½ 200 (200-½)			
LNAV/VNAV DA	418-½ 311 (400-½)			
LNAV MDA	520-½ 413 (500-½)	520-¾ 413 (500-¾)		
CIRCLING	580-1 473 (500-1)	580-1½ 473 (500-1½)	800-2¼ 693 (700-2¼)	

REIL Rwy 32

HIRL Rwy 14-32

MIRL Rwy 18-36

MC ALLEN, TEXAS

Amcl 1 10DEC15

26°11'N-98°14'W

MC ALLEN MILLER INTL (MF'E)

**RNAV (GPS) RWY 14**