

WAAS  
CH **56200**  
**W28A**

APP CRS  
**277°**

Rwy Idg  
TDZE  
Apt Elev

**9020**  
**197**  
**221**

**RNAV (GPS) RWY 28**

MONTGOMERY RGNL (DANNELLY FIELD) (MGM)

▼

▲

For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -8°C (18°F) or above 54°C (130°F). DME/DME RNP-0.3 NA. For inop MALSR, increase LPV Cat E visibility to ¾ mile; increase LNAV/VNAV Cat E visibility to 1⅓ mile; increase LNAV Cat E visibility to 1⅓ mile. Circling for Cat E NA north of Rwy 10-28.

MALSR

MISSED APPROACH:  
Climb to 3100 direct  
HEGAP and hold.

ATIS <b>120.675</b>	MONTGOMERY APP CON ★ <b>124.0 363.025</b>	DANNELLY TOWER ★ <b>119.7 (CTAF) 0 360.85</b>	GND CON <b>121.7 348.6</b>	CLNC DEL <b>118.3 270.3</b>	UNICOM <b>122.95</b>
------------------------	--	--	-------------------------------	--------------------------------	-------------------------

ELEV 221

TDZE 197

3100

HEGAP

VGSI and RNAV glidepath not coincident  
(VGSI Angle 3.00/TCH 75).

7 NM

Holding Pattern

\* LNAV only

WITBI

TEBOC

ICOTE

1.5 NM to RW28

2000

277°

097°

2600

GP 3.00°

TCH 56

1 NM

0.5

4 NM

7 NM

REIL Rwy 3 1

MIRL Rwy 3-21

HIRL Rwy 10-28

CATEGORY	A	B	C	D	E
LPV DA	397-1/2		200 (200-1/2)		
LNAV/VNAV DA	606-7/8		409 (400-7/8)		
LNAV MDA	580-1/2	383 (400-1/2)	580-5/8 383 (400-5/8)		
CIRCLING	700-1	479 (500-1)	800-1/2 579 (600-1/2)	860-2 639 (700-2)	860-2 1/4 639 (700-2 1/4)

MONTGOMERY, ALABAMA

Amdt 1B 11DEC14

MONTGOMERY RGNL (DANNELLY FIELD) (MGM)

32°18'N-86°24'W

**RNAV (GPS) RWY 28**